



## TL-D Colored

TL-D Colored 58W Yellow 1SL

This TL-D lamp (tube diameter 26 mm) helps to create special effects and atmospheres or attract attention by using red, green, blue and yellow light. Apart from using the specific colors, it is also possible to mix the colors to create white light. This lamp offers a high light output, thanks to the use of basic powders. Application areas include shops and showrooms, bars and restaurants, demonstration areas, sign lighting and entertainment stores.

**PHILIPS**

## Product data

### • General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 10% failures EM	12000 hr
Life to 50% failures EM	15000 hr

### • Light Technical Characteristics

Color Code	160
Color Designation (text)	Yellow
Luminous Flux EM 25°C, Rated	2250 Lm
Luminous Flux EM 25°C, Nominal	2250 Lm
LLMF EM 2000h Rated	80 %
Design Temperature	25 C
Chromaticity Coordinate X	508 -
Chromaticity Coordinate Y	487 -

### • Electrical Characteristics

Lamp Wattage	58 W
Lamp Wattage EM 25°C, Nominal	58 W
Lamp Wattage EM 25°C, Rated	58.5 W
Lamp Voltage EM 25°C	111 V
Lamp Current EM 25°C	0.670 A

Dimmable Yes

### • Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	13.0 mg
Energy consumption kWh/1000h	70 kWh


### • Product Dimensions

Base Face to Base Face A	1500.0 (max) mm
Insertion Length B	1504.7 (min), 1507.1 (max) mm
Overall Length C	1514.2 (max) mm
Diameter D	28.0 (max) mm

### • Product Data


Order code	928049001605
Full product code	928049001605
Full product name	TL-D Colored 58W Yellow 1SL
Order product name	TL-D Colored 58W Yellow 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500954473
Bar code on outerbox - EAN3	8711500954480
Logistic code(s) - 12NC	928049001605
Net weight per piece	172.600 gr

## Dimensional drawing





TL-D Colored 58W Yellow 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 58W/160 Yellow	1500.0	1504.7	1507.1	1514.2	28.0



G13

## Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, February 1  
data subject to change